DDFA Small Business Innovative Research Program Highlights

DDFA&SCFA Mid-Year Review Vijendra Kothari

March 5-7, 2002





Overview

- Established in 1982 under the Small Business Innovation Development Act
- SBIR programs fund R&D efforts of a high-risk nature
- In December 2000, the SBIR Program was reauthorized until September 30, 2008



Objectives

- stimulate technological innovation
- use small business to meet R&D needs
- encourage the participation by disadvantaged and minority persons
- to increase private sector commercialization derived from federal R&D



Process

Phase I: To evaluate merit and feasibility

• Phase II: The principal R&D effort

• Phase III:



Phase I Awards

Radiation Monitoring Devices, Inc., A High Sensitivity Beta Imaging System for Surface Assessment

YAHSGS LLC/Oak Ridge National Lab, Total Online Access Data System

Aspen Systems, Inc., Personal Cooling System

Physical Optics Corporation, An Advanced Real-Time Data Management System



Radiation Monitoring Devices, Inc.

A High Sensitivity Beta Imaging System for Surface Assessment

Objective - To demonstrate the feasibility of developing a high throughput, high sensitivity, imaging instrument for measuring levels and distribution of tritium contamination.

Final Result - Will be the experimental verification of a multi-element APD instrument for beta imaging and the preliminary design of a Phase II prototype system.



YAHSGS LLC/Oak Ridge National Lab Total Online Access Data System

Objective - Demonstrate the feasibility of

- (1) transferring data from an existing Department of Energy environmental database into a prototype surveillance and maintenance data management system,
- (2) transmitting data from a wide variety of surveillance and maintenance field-based instruments, and
- (3) using a novel hemispheric visual immersion technology in a remote field situation for historical documentation.



Aspen Systems, Inc. Personal Cooling System

Objective - To design and build a system to replace the current ice block and pumping unit cooling systems with a miniature vapor compression system.

Final Result - The product will allow D&D activities to proceed more efficiently, thus reducing cost and time to complete environmental restoration.



Physical Optics Corporation

An Advanced Real-Time Data Management System

Objective - To develop an improved data characterization and management system to facilitate long-term surveillance and maintenance and planning for final disposition of contaminated sites and facilities. To meet this need, a novel Advanced Real-Time Data Management System (ARTDMS) will be developed.



Phase II Awards

ARM Automation, Inc., Modular Robotics for Delivering On-Site Contamination Sensors and Mapping System to Difficult-to-Access Locations

AUTOMITIKA, Inc., PipeTaz: Automated Pipe Asbestos Insulation Removal System

ADA Technologies, Inc., Portable Multicontaminant Detection Instrumentation for R&D



Objectives

Provide a remote means to characterize hazardous radiological surface contamination


- Without worker entry and exposure
- By integrating modular robotics and real-time contamination sensing into a pushcart-sized mobile unit
 - Delivering sensors into difficult-to-access areas via a long-reach, dexterous robotic arm.
 - Recording contamination information



Modular Robotics for Delivering On-Site Contamination Sensors and Mapping System to Difficult-to-Access Locations

Features:


- •Real-time, remote radiation measurement
- Allows for direct surface measurements
- Mobile (passes through standard doorways)
- •Can reach along high walls and ceilings or into hazardous locations
- •Manual designation/Automatic execution of measurements
- •Graphical "map" of contamination measurement locations
- •System has many alternative remote characterization uses






Benefits

- Reduces or eliminates worker exposure
- Reduces time
- Reduces cost



VS.







Status

- Selection of Berkeley Nucleonics to Provide Sensor Technology
- Cart System and Subsystem Specification,
 Procurement, Building, and Testing
- Robotic Arm Refinement will Continue

Derek Black, ARM Automation, 512-894-3534 x103
ddblack1@armautomation.com
Vijendra Kothari, DOE-NETL, 304-285-4579
vijendra.kothari@netl.doe.gov



Objectives

To build an in-situ asbestos abatement system designed to:

- reduce the personnel required to abate asbestos
 from wrap-and-cut piping
- increase the speed at which asbestos insulation can be removed
- allow the cleaned pipe to be recycled
- •reduce the volume and weight of asbestoscontaminated waste.



PipeTaz: In-situ pipe-insulation abatement system for wrap-and-cut DOE process piping


Features:


- Handles 4 to 18 inch pipe with up to 2-inch thick insulation with any type of insulation and/or cladding
- Compliant with OSHA & EPA regs
- Controlled waste- & fibercontainment & emissions & alarm system
- Easily to transport & set up
- Push-button single-operator control
- Pipe encapsulation for recycling & double-bagging of waste











Benefits

- Cost reduction of thermal piping insulation abatement thru:
 - Separation of recyclable pipe from disposable/treatable waste
 - Reduced disposal/treatment waste-volume (by up to 90%)
 - Savings over conventional abatement methods (<50%; estimated to save up to \$80M)
- Also applicable to industrial abatement market due to larger (10x) market-size



Status

- Status 6 months into Phase II (Feb. '02)
 - System Cutter Subsystem Design completed & undergoing testing
- Schedule
 - System design completed by May 2002 with NIBS & IUOE Design Review
 - Prototype built and undergoing testing by Jan.'03
 - Industrial partner field-trials by Jun.'03

Hagen Schempf, Carnegie Mellon University, 412-268-6884

hagen@rec.ri.cmu.edu

Vijendra Kothari, DOE-NETL, 304-285-4579

vijendra.kothari@netl.doe.gov



ADA Technologies, Inc. Objective

- Prototype Instruments Design and Build
- Deployed at D&D Operations
- Design Variants to Broaden the Market and Promote Commercialization



ADA Technologies, Inc.

Portable Multicontaminant Detection Instrumentation for R&D





ADA Technologies, Inc. Benefits

"Snooping" Ability

Faster, Lower Cost, and Safer

Commercialization



ADA Technologies, Inc.

Status

- Beryllium field test was highly successful
- Identified and purchased higher power/repetition rate laser, necessary detectors, and spectrometers
- Identified radiation sensor system
- Nearing completion of even smaller sample wand design (DIAL)

Patrick D. French, ADA Technologies, Inc., 303-792-5615, patf@adatech.com

Ron Staubly, DOE-NETL, 304-285-4991,

ron.staubly@netl.doe.gov



Summary

- •The SBIR projects are well integrated in DDFA activities.
- •These project will help bring innovative technologies to the DOE and the commercial industry to reduce costs, accelerate work schedules, and reduce worker exposure to hazardous conditions.

